PRODUCTION EXCELLENCE



AUTOMAT powered by Elitron

The versatile high productive feeding and stacking system for full and 3/4 automated printing processes.



For more information, please visit





AUTOMAT powered by Elitron

The feeding and stacking system for versatile, safe and automated production.

Extra large boards

- > Manual operation for extra large boards
- > Docking kit for roller tables

Safety metal coverage


- > Safety regulatory fulfilment
- > Avoids accidental collisions
- > Perforated carters for workspace visibility

Safety light barriers

> System stops by accidental overstepping

Dual track operation

- > Dual track loading/unloading
- > Stack capacity up to 90 cm. (35.4 in)
- > Suitable for different board sizes



Boards registration

- > High accuracy side and front media registration
- > Selectable registration mode priority
- > Media positioning by pick-up suction system

Servicing side doors

- > Safe operation
- > Quick opening
- > Enable easy access for servicing

DURST AUTOMAT

Media detection sensors

- > Optical sensors for detection of any type of media
- > Double sided printing registration

Adjustable suction sectors

- > Media channel presets for suction cups activation
- > Boards size versatility
- > Suitable for thin media
- > Turbo vacuum for heavy media



Media pressure rollers

- > Input pressure rollers for media loading stability with auto height adjustment by media channel
- > Output pressure rollers for precise media stacking

Advanced software control

- > User friendly software
- > Automatic media channel settings printer to Automat

> Touch screen panel

thanks to ID communication from

VIRTUAL SHOWROOM

More details, live demo, print samples. showroom.durst-group.com/automat

moving the entire system > Fast material change

> Quick lock and unlock system

> Easy sliding operated by one person



DURST AUTOMAT

AUTOMAT MODELS

- > Loading capacity up to 900 mm (35.4 in)
- > Tracks up to 4

	Max. boards length	Max. boards width
AUTOMAT 350/HS/D4 2100	2,150 mm (84.6 in)	3,500 mm (137.8 in)
AUTOMAT 210/HS/D4 2100	2,150 mm (84.6 in)	2,100 mm (82.7 in)
AUTOMAT 210/HS/D4 3200	3,200 mm (126 in)	2,100 mm (82.7 in)

DURST AUTOMAT CONFIGURATIONS

3/4 AUTOMATION BOARDS	> Roller table for manual feeding > Automat stacker > Continuous boards feeding	> 2 and 4 tracks
3/4 AUTOMATION HYBRID	> Roller table for manual feeding > Automat stacker > Continuous board feeding	> 2 and 4 tracks > Roll tool
FULL AUTOMATION BOARDS	>Automat feeder >Automat stacker >Continuous board feeding	> 2 and 4 tracks
FULL AUTOMATION HYBRID	> Automat feeder > Automat stacker > Continuous board feeding	> 2 and 4 tracks > Roll tool